

Basic Features:

| | |
|-----------------------|---|
| Application | SBA I GEL CLEAR - FOR LAYERED BED |
| Polymer Structure | Polystyrene crosslinked with Divinylbenzene |
| Appearance | Translucent Golden Spherical Beads |
| Functional Group | Type 1 Quaternary Ammonium |
| Ionic form as shipped | Cl ⁻ |

Typical Physical and Chemical Characteristics:

| | | |
|----------------------------|-----------------------------------|-----------------------------|
| Total Capacity (min.) | Cl ⁻ | 1.00 eq/l |
| Moisture Retention | Cl ⁻ | 50 - 60 % |
| Reversible Swelling (max.) | Cl ⁻ → OH ⁻ | 30% max. % |
| Specific Gravity | | 1.06 g/ml |
| Shipping Weight (approx.) | | 42 - 46 lbs/ft ³ |
| Temp Limit | Cl ⁻ | 140 °F |

USA
Telephone: (1) 610-668-9090
Fax: (1) 610-668-8139
Email: info@puroliteusa.com

Europe
Telephone: +44 1443 229334
Fax: +44 1443 227073
Email: sales@purolite.com

Asia Pacific
Telephone: +86 571 876 31385
Fax: +86 571 876 31385
Email: pultalan@purolitechina.com